




Keysight Technologies Genesys

An integrated simulation and synthesis design tool for RF/microwave circuit board and subsystem designers



Genesys

Introduction



Keysight Genesys is an affordable, accurate, easy-to-use RF and microwave circuit synthesis and simulation tool created for the circuit board and subsystem designer. Providing the optimal balance of capabilities with ease-of-use, designers can quickly attain the skills necessary to operate the tool while realizing unbeatable engineering productivity through powerful automatic circuit synthesis technology. Genesys is available in 6 different languages (English, Japanese, Korean, Chinese simplified, Chinese traditional and Russian), further adding to its ease of global deployment and collaboration by engineers and technicians.

Genesys is endorsed by an installed base of over 5,000 satisfied RF and microwave designers worldwide, many of whom have been loyal repeat customers over the past 30 years. Genesys incorporates breakthrough nonlinear X-parameter simulation and is backed by Keysight's extensive industry-wide expertise in RF/microwave design, instrumentation and support. As a proven safe investment, Genesys literally pays for itself through cost savings within its first year of deployment as a design productivity tool. As your requirements expand to include enterprise level design of RF/high speed boards, MMICs or multi-technology RF system-in-package (SIP) modules, Keysight Technologies, Inc. protects your Genesys investment by providing full trade-up credit towards the even more capable Advanced Design System (ADS).

The core capabilities of Genesys can be extended with additional simulation and synthesis building blocks into powerful and affordable bundles.

Genesys configuration overview

Genesys offers the highest design productivity by providing:

- Industry's widest coverage of RF and microwave automatic circuit synthesis
- Comprehensive RF system architecture and frequency planning tools
- Modulated RF analysis of circuits and systems for EVM, BER and ACPR with WLAN 802.11ac and LTE-3GPP verification
- Time- and frequency-domain circuit simulation with optimization
- Fast, memory-efficient 3D-planar electromagnetic (EM) simulation
- Accurate and convenient X-parameter nonlinear circuit and system simulation
- Accurate frequency, temperature and bias dependent Sys-parameters models of vendor system blocks

Genesys core environment

All Genesys configurations start with the prerequisite Genesys core environment, which is itself a full-featured design bundle. Extended capabilities are added to other affordable bundles to include:

- Filter, matching and circuit synthesis
- RF system architecture
- Modulated RF analysis (Dataflow- and frequency-domains)
- Nonlinear circuit simulation (DC, time- and frequency-domains)
- 3D-planar EM simulation


Key building blocks

Genesys bundles are comprised of one or more of these building blocks.	
Core	Schematic, Layout, Plot, Linear Analysis, Optimization, Instrument Links
Filter and match	Filter & Matching Circuit synthesis
Synthesis	Custom Filter, Mixer, Oscillator, Signal Control, Equalizer Vendor Parts synthesis
System	System simulation, Budget analysis & Frequency Planning synthesis
Modulated RF	Modulated RF analysis of EVM, BER and ACPR with WLAN & LTE verification
Circuit	Harmonic Balance & SPICE circuit simulation
EM	3D Planar Electromagnetic simulation of printed circuits and antennas

Core Building Block

Capability module

W1320BP/BT Genesys core



Description

Design environment

- Integrated, easy-to-use Windows-based graphical user environment for hierarchical design creation and management; available in six major languages worldwide
- Scripting from Matlab script, Visual Basic, C++, VBScript or JScript for automation of Genesys to perform custom or repetitive tasks
- LiveReport for creating auto-updating and interactive design documentation
- Export Genesys designs for use in Keysight ADS in design collaboration

Fast linear simulation and powerful optimization

- Interactive tuning for quick insights
- Fast and robust design optimizer
- Linearizes nonlinear components at their DC bias before linear simulation.

NOTE: Full DC analysis requires Harbec/Cayenne

www.keysight.com/find/eesof-genesys-core

Statistical simulation

- Monte Carlo yield analysis
- Graphical and spreadsheet report

Data manipulation and display

- Data sets for persistent storage of simulation and measurement data for post-processing and display to eliminate wasteful re-simulation
- Matlab scripting with 100% compatibility with Matlab for custom equations, functions and data processing
- Flexible data display and analysis with rectangular, polar, Y/Z Smith, histogram, 3D-parametric plots, and instrument-style marker readouts
- Interactive 3D viewer for EM surface currents and antenna far-field patterns

RF/microwave layout and artwork translators

- Create layout from schematic, imported artwork, or direct drawing for EM simulation and board fabrication
- 3D viewer for layout with interactive rotation, zoom, vertical stretching, and cut planes to verify correct geometry before fabrication
- Export Python script of layout, materials and ports to Keysight EMPro for full 3D EM simulation
- Full library of pad/package layout footprints
- Import /export masks and drill files in popular printed circuit board (PCB) formats (e.g., Gerber, DXF/DWG, and GDSII) for PCB board realization on fast prototyping machines or chemical etching

Libraries of simulation models and parts

- Full libraries of accurate high-frequency physical models with automatic discontinuities
- Over 30,000 linear, nonlinear and system parts libraries


Testlink

- Captures measured data directly into Genesys for simulation and display on network analyzers, impedance analyzers, oscilloscopes, vector/spectrum analyzers, semi-conductor analyzers, and power meters
- Supports over 140 instruments from more than 14 equipment manufacturers

www.keysight.com/find/eesof-genesys-testlink





Genesys Synthesis

Genesys provides the industry's widest coverage of passive and active circuit synthesis capabilities. The synthesis modules create high-performance circuits, accelerate routine design tasks from hours to minutes, and enable fast make-or-buy decisions on RF components. All 12 synthesis modules are included in the Genesys Synthesis building block. An economical subset containing the 4 most popular synthesis modules is the "filter and match" building block.



Improve productivity with the industry's widest coverage of RF and microwave circuit synthesis capabilities in Genesys.

Filter and Match building block

Capability module	Description
	<p>Filter synthesis</p> <p>Classical lumped filter synthesis for RF applications. This module is the single highest-selling synthesis module from our Genesys product line.</p> <p>www.keysight.com/find/eesof-genesys-filter</p>
	<p>M/filter synthesis</p> <p>Distributed filter synthesis for microwave applications with over 60 topologies, including automatic layout for subsequent EM analysis. Synthesizes high-performance microwave filters and assists make-versus-buy decisions.</p> <p>www.keysight.com/find/eesof-genesys-m-filter</p>
	<p>Match synthesis</p> <p>Synthesizes impedance-matching networks over narrow/broad frequency bands with lumped/distributed components and complex frequency-dependent loads. Creates simultaneous input, output and inter-stage matching for cascaded non-unilateral devices.</p> <p>www.keysight.com/find/eesof-genesys-match</p>
	<p>Advanced transmission line synthesis</p> <p>Synthesizes 13 types of transmission lines with lump-distributed circuit conversion and automatic discontinuity insertion. Converts ideal electrical designs to physical implementation such as microstrips and striplines on your choice of substrate.</p> <p>www.keysight.com/find/eesof-genesys-advanced-t-line</p>

Synthesis – Includes Filter and Match


Capability module

Description

S/filter synthesis

Direct synthesis technology enables precise shaping of filter response with transmission zeros to automatically create custom lumped and distributed filter topologies. Comes with over 200 interactive lumped and distributed topological transforms for high-performance custom filter realization.


www.keysight.com/find/eesof-genesys-s-filter



A/filter synthesis

Active op-amp filter synthesis with over 30 active topologies. Use for IF, video, baseband frequencies, and control applications such as power control and AGC circuits.


www.keysight.com/find/eesof-genesys-a-filter



Equalize synthesis

Synthesizes equalization networks to compensate for linear phase distortions in the circuit or system that impacts modulation fidelity such as error vector magnitude (EVM), video, and audio fidelity.


www.keysight.com/find/eesof-genesys-equalize



Oscillator synthesis

Explore 19 RF oscillator topologies from classical L-C, transmission line, SAW, crystal, cavity, and coaxial hybrid. Recommended companion to the Harbec or Cayenne circuit simulators.


www.keysight.com/find/eesof-genesys-oscillator



PLL synthesis

Phase-locked loop (PLL) synthesis of analog loop filters and 5 setup wizards to design frequency synthesizers and phase/frequency modulators/demodulators.

www.keysight.com/find/eesof-genesys-pll




Synthesis – Includes Filter and Match *continued*

Signal control synthesis

Synthesizes a variety of lumped and distributed couplers (10 types), splitters (10 types), Baluns (5 types), and attenuator (2 types) circuits that control RF signal flow.


www.keysight.com/find/eesof-genesys-signal-control



Mixer synthesis

Explore a range of performance trade-offs between 11 RF mixer topologies based on BJTs, FETs and diodes from diode rings to Gilbert cells. Design companion to the Harbec circuit simulator.


www.keysight.com/find/eesof-genesys-mixer



Vendor Parts synthesis


Automatically replace real-valued RLC parts in any design with purchasable discrete vendor RLC with accurate parasitic models from Modelithics and performs a grid optimization of available values so that your actual RF-PCB meets original specs.

www.keysight.com/find/eesof-genesys-vps





Genesys Simulation

Genesys offers comprehensive circuit, system and electromagnetic simulation capabilities that are provided in the following 4 building blocks which are used to construct powerful and economical Genesys RF and microwave board design bundles.




Circuit Building Block

Capability module	Description
	<p>Harbec</p> <p>Harmonic balance, nonlinear frequency-domain circuit simulation and optimization that calculates harmonic spectrum at any circuit node, IP3, compression, efficiency, conversion gain, phase noise, load pull contour, large-signal oscillator, amplifier, or mixer. Indispensable tool for RF/microwave and DC bias designs with active transistors, diodes, and components. Harbec now incorporates Keysight's breakthrough nonlinear X-parameters simulation technology for convenient and accurate nonlinear circuit designs with X-parameter models of transistors and RFICs.</p> <p>www.keysight.com/find/eesof-genesys-harbec</p>
	<p>Cayenne</p> <p>Spice simulation for RF circuits that works from the same schematic and RF physical models as Harbec. Includes convolution algorithm to use S-parameters and frequency-domain transmission-line models in accurate time-domain transient simulations of high-speed signal paths. Includes full DC analysis and optimization of DC voltages and currents</p> <p>www.keysight.com/find/eesof-genesys-cayenne</p>

Genesys System Architecture


The Genesys system building block includes Spectrasys, a powerful RF system architecture and diagnostic simulator, and WhatIF, an innovative frequency planning synthesis that instantly identifies spurious-free bands when designing frequency conversion systems.

System building block



Simulate and build RF systems with real parts

Capability module



X-Microwave.com RF system prototyping with X-parameters system blocks

Description

Spectrasys

RF system architecture design with accurate behavioral and data-based system blocks to completely analyze system block diagram performance. Unique root-cause diagnostics identify culprit components that impair system performance such as origins of nonlinear spurious mixing intermods ignored by traditional spreadsheet calculations. Especially useful for establishing confidence in system design reviews before hardware realization to avoid costly implementation mistakes downstream.

Spectrasys uses Keysight Sys-Parameters which are frequency, temperature and bias dependent nonlinear system component models that directly use datasheet specs supplied by component vendors such as Mini Circuits and Analog Devices. You can also create spreadsheets of P1dB, IP3, IP2, NF, etc. for use by these models to accurately simulate off-the-shelf components in your system before purchase. X-parameters from nonlinear network measurements or ADS circuit simulation are also convenient and accurate models of system blocks used in Spectrasys. X-parameter libraries representing popular system blocks from ADI, MiniCircuits, MACOM, DLI, IDT, Custom MMIC and others are downloadable from www.xmicrowave.com for rapid system prototyping.


DC power estimator summarizes the different voltage and current drain required by each system component to enable the proper sizing of the system power supply. This is an important aspect of RF system design that other tools neglect.

www.keysight.com/find/eesof-genesys-spectrasys

WhatIF

Unique, graphical frequency-planning synthesis tool that quickly identifies spurious-free bands across a wide bandwidth involving multiband conversions to a common IF, using realistic mixers. Useful for designing multiband down-converters with high- and low-side LO's. A natural companion to Spectrasys RF system architecture design tool.





www.keysight.com/find/eesof-genesys-whatif



Genesys EM Simulation

The Genesys EM block includes Momentum, the most advanced 3D-planar electromagnetic simulator in the industry that is also used in Keysight EEsof ADS flagship EDA tool. Momentum enables you to analyze the EM effects of physical circuit layout components that were not in your original design schematic, such as microstrip interconnects for SMT components, solder pads, vias, proximity ground planes and covers. Tightly integrated circuit-EM cosimulation allows you to optimize circuit parameters to compensate for these parasitic effects before you construct hardware, thereby eliminating wasteful time-robbing iterations. Links to Keysight EMPro full 3DEM simulator and Sonnet provides automatic setup of ports, materials and structure for additional EM corroboration if needed.

EM building block

Capability module	Description
 	<p>Momentum GXF</p> <p>Highest-performance, integrated 3D-planar EM simulator in the industry, including fast multi-threaded simulation on multicore processors, polygonal mesher and highly memory-efficient NlogN solvers. Offers the highest speed and capacity for 3D-planar EM simulation to analyze complex multilayer layouts or large planar-antenna arrays. It is typically 25x faster than the previous Genesys EMpower simulator which it replaces and using far less memory than traditional rectangular-grid based EM solvers. Interactive 3D viewer for surface currents and antenna far-field opens up design insights and is indispensable for troubleshooting.</p> <p>www.keysight.com/find/eesof-genesys-momentum</p>
 <p>One click</p>	<p>Keysight EMPro link</p> <p>Keysight EMPro analyzes non-planar 3-D electromagnetic effects such as packaging, shielding and integration of circuit with waveguides. In a single click, Genesys exports its planar RF/microwave layout, along with ports and substrate material properties to EMPro for immediate simulation. Eliminates tedious manual re-entering of 3D structures, EM port locations and material properties.</p> <p>www.keysight.com/find/eesof-empro</p>
 <p>J. Clerk Maxwell</p>	<p>Sonnet link</p> <p>Enables users of Sonnet planar EM simulator to take advantage of Genesys circuit/system synthesis and simulation by performing circuit-EM co-simulation.</p> <p>www.keysight.com/find/eesof-genesys-sonnet</p>


Genesys Co-Simulation

The already powerful system, circuit and electromagnetic simulators can also be used together to analyze, tune and optimize your designs in a single pass. This eliminates tedious and error-prone manual translation of data between simulators.

Circuit-system co-simulation



Enables nonlinear circuit parameters to be tuned and optimized to system specs in one pass. It eliminates tedious, non-interactive and error-prone creation of inaccurate system behavioral models from circuits to perform circuit-system verification.




Circuit-EM co-simulation



Automatically includes the physical effects of board layout in both linear and nonlinear circuit simulations.

It enables you to identify and fix circuit performance degradation caused by undesired proximity coupling, resonance and reflection from your RF board layout.

3D interactive viewing of animated surface current flows help you pinpoint the location of these problems without guesswork.




Genesys For ADS Users

The automatic circuit synthesis and RF system architecture capabilities in Genesys are perfect complement to ADS users for enhancing personal design productivity at minimum cost.

Genesys synthesis to ADS schematic transfer


Using Genesys synthesis for broadband impedance matching network design reduces hours of tedious work into a few minutes of mouse clicks as you watch your matching network being synthesized and optimized automatically.

Designing demanding custom notched filters or difficult multiplexers are efficiently tackled with automatic filter synthesis and network transforms to produce novel realizable topologies within minutes instead of days of looking up references. The Genesys synthesized circuit schematic can be transferred to ADS with one click for inclusion into a bigger design.



Genesys system architecture to ADS schematic transfer

Quickly putting together a system block diagram and simulating it to pinpoint the components causing system impairments is one of the most valued capabilities in Genesys by all RF system designers. All of the above are now available to ADS users as the RF Architect and Synthesis elements W2362EP and W2372EP. They can also run as standalone Genesys bundles when available ADS licenses are depleted.






Getting the Most Value From Your Keysight Genesys Software

Keysight has a worldwide network of trained professionals to help you be effective in using and deploying Genesys sooner. An annual software maintenance subscription is an affordable assurance that you will always be up-to-date with the latest software capabilities and bug fixes. It comes with highly-competent Keysight phone and email support, as well as unlimited 24/7 access to the Keysight Knowledge Center for solutions to thousands of engineering questions.

Training is recommended to bring all designers up to a similar skill level and to get the most out of Genesys for productive teamwork and organizational effectiveness.

If you have an old outdated Genesys, you can always upgrade it to the latest version to protect and enhance your original investment at minimum cost.

Support, training and upgrade

Capability module	Description
<p data-bbox="113 570 520 597">Genesys software support option</p> 	<p data-bbox="527 570 1992 597">Software maintenance subscription and technical support</p> <ul data-bbox="527 602 1992 760" style="list-style-type: none"> - Annual software maintenance subscription keeps your software fresh with the latest enhancements, applications, defect fixes, operating system, and hardware support. - Provides access to the Keysight technical support network worldwide through email, telephone, and the 24/7 Keysight Knowledge Center. - Software on current maintenance can be enhanced, upgraded to a floating license, re-hosted, or transitioned to Keysight ADS. - Typically, there are about two software releases of Genesys per year. <p data-bbox="527 789 894 816">www.keysight.com/find/eesof-support</p>
<p data-bbox="113 886 520 914">N3244A</p> 	<p data-bbox="527 886 1992 914">Genesys concepts - training class</p> <p data-bbox="527 919 1992 946">Three-day, hands-on Genesys training class, updated for the current release. Can be delivered at Keysight training site (N3244A), or at your site (N3244B).</p> <p data-bbox="527 976 957 1003">www.keysight.com/find/eesof-genesys-class</p>
<p data-bbox="113 1227 520 1255">W1401R</p> 	<p data-bbox="527 1227 1992 1255">Genesys software upgrade</p> <p data-bbox="527 1260 1992 1287">If your Genesys is outdated, you can upgrade to the latest version at very low cost to preserve your investment in this valuable tool.</p>

Genesys Bundles

Genesys bundles are affordable combinations of useful capabilities that work seamlessly together at a fraction of the cost of any competing design tools. For ADS users, two elements containing Genesys automatic synthesis and system capabilities are specially created for boosting personal design productivity with one click schematic transfer. They can also run as standalone Genesys bundles.

Genesys bundle name:											EM				EM	
			FILTER MATCH	Synthesis	System	System	Circuit	EM	System	EM	EM	Modulated RF	Modulated RF	System	System	System
	Core	Core	Core	Core	Core	Core	Core	Core	Core	Core	Core	Core	Core	Core	Core	Core
	W1320BP	W1321BP	W1322BP	W1323BP	W2362EP	W1324BP	W1325BP	W1326BP	W1327BP	W1328BP	W1333BP	W2372EP	W1336BP	W1338BP		
	Genesys core	Genesys core, filter, match	Genesys core, synthesis	Genesys core, system	ADS RF architect and synthesis element	Genesys core, synthesis, circuit	Genesys core, synthesis, EM	Genesys core, synthesis, circuit, system	Genesys core, synthesis, circuit, EM	Genesys core, synthesis, circuit, system, EM	Genesys core, system, modulated-RF	ADS RF architect, synthesis, modulated-RF element	Genesys core, synthesis, circuit, system, modulated-RF	Genesys core, synthesis, circuit, system, modulated-RF, EM		
Environment																
Genesys core environment	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Testlink	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Synthesis																
Filter		Y	Y		Y	Y	Y	Y	Y	Y		Y	Y	Y	Y	Y
M/filter		Y	Y		Y	Y	Y	Y	Y	Y		Y	Y	Y	Y	Y
Match		Y	Y		Y	Y	Y	Y	Y	Y		Y	Y	Y	Y	Y
Advanced Tline		Y	Y		Y	Y	Y	Y	Y	Y		Y	Y	Y	Y	Y
S/filter			Y		Y	Y	Y	Y	Y	Y		Y	Y	Y	Y	Y
A/filter			Y		Y	Y	Y	Y	Y	Y		Y	Y	Y	Y	Y
Equalize			Y		Y	Y	Y	Y	Y	Y		Y	Y	Y	Y	Y
Oscillator			Y		Y	Y	Y	Y	Y	Y		Y	Y	Y	Y	Y
PLL			Y		Y	Y	Y	Y	Y	Y		Y	Y	Y	Y	Y
Signal control			Y		Y	Y	Y	Y	Y	Y		Y	Y	Y	Y	Y
Mixer			Y		Y	Y	Y	Y	Y	Y		Y	Y	Y	Y	Y
Vendor Parts			Y		Y	Y	Y	Y	Y	Y		Y	Y	Y	Y	Y
Circuit simulation																
Harbec						Y		Y	Y	Y			Y	Y	Y	Y
Cayenne						Y		Y	Y	Y			Y	Y	Y	Y
System simulation																
Spectrasys				Y	Y			Y		Y	Y	Y	Y	Y	Y	Y
WhatIF				Y	Y			Y		Y	Y	Y	Y	Y	Y	Y
Modulated-RF																
Dataflow simulator											Y	Y	Y	Y	Y	Y
Budget analysis											Y	Y	Y	Y	Y	Y
LTE, WLAN verification											Y	Y	Y	Y	Y	Y
EM simulation																
Momentum GXF							Y		Y	Y						Y
Sonnet link							Y		Y	Y						Y

Genesys Licensing Options

License type	Node-locked	Networked
Perpetual license	<ul style="list-style-type: none"> - A node-locked perpetual license is locked to a USB key or PC LAN physical address - You own the license and this is the most cost-effective option for the long term - The node-locked perpetual license is the most popular option 	<ul style="list-style-type: none"> - The networked perpetual license enables convenient sharing by users across a network - Costs about 30% more than node-locked perpetual license - Suitable for larger companies and requires network license server administration
Subscription (time-based) license	<ul style="list-style-type: none"> - The node-locked time-based license is locked to a USB key or PC LAN physical address - Usage expires after the 12-months time-based license period - Costs about 1/3 of a perpetual license including support; suitable for projects with tight cash flows 	<ul style="list-style-type: none"> - The networked time-based license enables convenient sharing by users across a network - Costs about 30% more than a node-locked time-based license - Suitable for larger companies who need to optimize cash flows - Requires network license server administration

Securing Your Genesys License

Genesys licenses can be secured to your personal computer's (PC) local area network (LAN) physical address or a universal serial bus (USB) hardware key serial number.

LAN Physical Address - When secured to your computer LAN physical address, the danger of losing the small USB hardware key is eliminated and your license enables you to start using Genesys just like any other software on your PC.

USB Hardware Key - When secured to a USB hardware key, you have the convenience of license portability to run Genesys on different computers. However, you may risk losing the USB key which then prevents you from using Genesys.

www.keysight.com/find/eesof-usb-key



Download your next insight

Keysight software is downloadable expertise. From first simulation through first customer shipment, we deliver the tools your team needs to accelerate from data to information to actionable insight.

- Electronic design automation (EDA) software
- Application software
- Programming environments
- Utility software



Learn more at
www.keysight.com/find/software

Start with a 30-day free trial.
www.keysight.com/find/free_trials